

Notations :

- 1.Options shown in green color and with ✓ icon are correct.
- 2.Options shown in red color and with ✗ icon are incorrect.

Question Paper Name:	Computer Science and Engineering 11th May 2019 Shift1
Subject Name:	Computer Science and Engineering
Creation Date:	2019-05-11 13:35:19
Duration:	180
Total Marks:	200
Display Marks:	No
Share Answer Key With Delivery Engine:	Yes
Actual Answer Key:	Yes
Calculator:	None
Magnifying Glass Required?:	No
Ruler Required?:	No
Eraser Required?:	No
Scratch Pad Required?:	No
Rough Sketch/Notepad Required?:	No
Protractor Required?:	No
Show Watermark on Console?:	Yes
Highlighter:	No
Auto Save on Console?:	No

Computer Science and Engineering

Group Number :	1
Group Id :	89465820
Group Maximum Duration :	0
Group Minimum Duration :	180
Revisit allowed for view? :	No
Revisit allowed for edit? :	No
Break time:	0
Group Marks:	200

Mathematics

Section Id :	89465875
Section Number :	1
Section type :	Online
Mandatory or Optional:	Mandatory
Number of Questions:	50
Number of Questions to be attempted:	50
Section Marks:	50
Display Number Panel:	Yes
Group All Questions:	No

Question Number : 1 Question Id : 8946583809 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

Let $M = (a_{ij})$ be a 10×10 matrix such that $a_{ij} = \begin{cases} 1, & \text{if } i+j=11 \\ 0, & \text{otherwise} \end{cases}$. Then, the determinant of M is _____.

Options :

- 1. ✖ 0
- 2. ✖ 1
- 3. ✔ -1
- 4. ✖ 11

Question Number : 2 Question Id : 8946583810 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

Let A and B be two square matrices of order n . If $AB = A$, $BA = B$ then $A^2 + B^2 = \underline{\hspace{2cm}}$.

Options :

- 1. ✖ AB
- 2. ✖ $A - B$
- 3. ✖ 0
- 4. ✔ $A + B$

Question Number : 3 Question Id : 8946583811 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

Consider the system of linear equations $x + y + z = 3$, $x - y - z = 4$, $x - 5y + \alpha z = 6$. Then, the value of α for which this system has an infinite number of solutions is _____.

Options :

1. ✓ -5 <https://previouspaper.in>

2. ✗ 5

3. ✗ 3

4. ✗ 1

Question Number : 4 Question Id : 8946583812 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

If $A(\alpha, \beta) = \begin{pmatrix} \cos \alpha & \sin \alpha & 0 \\ -\sin \alpha & \cos \alpha & 0 \\ 0 & 0 & e^\beta \end{pmatrix}$, then the inverse of the matrix $A(\alpha, \beta)$ is _____.

Options :

1. ✗ $A(\alpha, \beta)$

2. ✗ $A(\alpha, -\beta)$

3. ✓ $A(-\alpha, -\beta)$

4. ✗ $A(-\alpha, \beta)$

Question Number : 5 Question Id : 8946583813 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The rational fraction $\frac{x^2 + 1}{(x^2 + 4)(x - 2)}$ is equal to _____

Options :

1. ✗ $\frac{3x + 6}{8(x^2 + 4)} + \frac{5}{4(x - 2)}$

2. ✗ $\frac{3x + 6}{4(x^2 + 4)} + \frac{5}{8(x - 2)}$

3. ✓ $\frac{3x+6}{8(x^2+4)} + \frac{5}{8(x-2)}$

4. ✗ $\frac{3x+6}{(x^2+4)} + \frac{5}{(x-2)}$

Question Number : 6 Question Id : 8946583814 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

If $\log_2 3 = a, \log_3 5 = b, \log_7 2 = c$, then $\log_{140} 63 =$ _____.

Options :

1. ✗ $\frac{1-2ac}{2c+abc+1}$

2. ✗ $\frac{1-2ac}{2c-abc-1}$

3. ✗ $\frac{1+2ac}{2c-abc-1}$

4. ✓ $\frac{1+2ac}{2c+abc+1}$

Question Number : 7 Question Id : 8946583815 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

$$\cos \frac{2\pi}{7} + \cos \frac{4\pi}{7} + \cos \frac{6\pi}{7} = \text{_____}.$$

Options :

1. ✗ 1

2. ✗ $\frac{1}{2}$

3. ✓ $\frac{-1}{2}$

Question Number : 8 Question Id : 8946583816 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

If the angles A, B and C of a triangle are in an arithmetic progression and if a, b and c denote the lengths of the sides opposite to A, B and C respectively, then the value of the expression $\frac{a}{c} \sin 2C + \frac{c}{a} \sin 2A$ is ____.

Options :

1. ✔ $\sqrt{3}$

2. ✖ $\frac{\sqrt{3}}{2}$

3. ✖ 1

4. ✖ $\frac{1}{2}$

Question Number : 9 Question Id : 8946583817 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

If $\sin x + \sin y = \frac{1}{4}$ and $\cos x + \cos y = \frac{1}{3}$, then $\cot(x + y) =$ _____.

Options :

1. ✔ $\frac{7}{24}$

2. ✖ $\frac{24}{7}$

3. ✖ $\frac{3}{4}$

4. ✖ 1

Question Number : 10 Question Id : 8946583818 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

If $\sin(x^\circ + 28^\circ) = \cos(3x^\circ - 78^\circ)$ and $0^\circ < x^\circ < 90^\circ$, then, which of the following is the value of x° ?

Options :

1. ✖ 50°

2. ✖ 30°

3. ✖ 16°

4. ✔ 8°

Question Number : 11 Question Id : 8946583819 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

If $x = \tan\left(\operatorname{Cosec}^{-1}\frac{65}{63}\right)$ and $y = \sec^2\left(\operatorname{Cot}^{-1}\frac{1}{2}\right) + \operatorname{cosec}^2\left(\operatorname{Tan}^{-1}\frac{1}{3}\right)$, then $(x, y) =$ _____.

Options :

1. ✔ $\left(\frac{63}{16}, 15\right)$

2. ✖ $\left(\frac{16}{63}, 15\right)$

3. ✖ $\left(\frac{63}{16}, 5\right)$

4. ✖ $\left(\frac{16}{63}, 5\right)$

Question Number : 12 Question Id : 8946583820 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The equation $\tan^{-1}\left(\frac{x+1}{x-1}\right) = \tan^{-1}(-7)$ has _____.

Options :

1. ✓ unique solution $x = 2$
2. ✗ two solutions $x = 1, 2$
3. ✗ no solution
4. ✗ infinite number of solutions

Question Number : 13 Question Id : 8946583821 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

In a triangle ABC , let a, b and c denote the lengths of the sides opposite to A, B and C respectively. If $\frac{1}{a+c} + \frac{1}{b+c} = \frac{3}{a+b+c}$, then the angle C is _____.

Options :

1. ✗ 30°
2. ✗ 90°
3. ✓ 60°
4. ✗ 45°

Question Number : 14 Question Id : 8946583822 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

If $\sin^{-1}x = 3$ then $x =$ _____.

Options :

1. ✓ $\log(3 + \sqrt{10})$
2. ✗ $\log(3 - \sqrt{10})$

3. ✖ $\log(6 + \sqrt{10})$
<https://previouspaper.in>

4. ✖ 1

Question Number : 15 Question Id : 8946583823 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Which of the following is NOT true for the complex numbers z_1 and z_2 ?

Options :

1. ✖ $\frac{z_1}{z_2} = \frac{z_1 \bar{z}_2}{|z_2|^2}$

2. ✖ $|z_1 + z_2| \leq |z_1| + |z_2|$

3. ✔ $|z_1 + z_2| \leq ||z_1| - |z_2||$

4. ✖ $|z_1 + z_2|^2 + |z_1 - z_2|^2 = 2|z_1|^2 + 2|z_2|^2$

Question Number : 16 Question Id : 8946583824 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

If a complex number $z = \frac{\sqrt{3}}{2} + i\frac{1}{2}$, then z^4 is _____.

Options :

1. ✖ $2\sqrt{2} + 2i$

2. ✔ $\frac{-1}{2} + i\frac{\sqrt{3}}{2}$

3. ✖ $\frac{\sqrt{3}}{2} - i\frac{1}{2}$

4. ✖ $\frac{\sqrt{3}}{8} - i\frac{1}{8}$

Question Number : 17 Question Id : 8946583825 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

The equation of the straight line which makes intercepts r and s on the coordinate axes such that $r + s = 5$ and $rs = 6$ is $ax + by + c = 0$, then $a + b + c = \underline{\hspace{1cm}}$.

Options :

1. ✖ 11

2. ✖ 5

3. ✖ -7

4. ✔ -1

Question Number : 18 Question Id : 8946583826 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

If a straight line $ax + by + \sqrt{5} = 0$ touches the circle $x^2 + y^2 = 5$, then which of the following is TRUE?

Options :

1. ✖ $5(a^2 + b^2) = 1$

2. ✖ $a^2 + b^2 = \sqrt{5}$

3. ✔ $a^2 + b^2 = 1$

4. ✖ $\sqrt{a^2 + b^2} = 5$

Question Number : 19 Question Id : 8946583827 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

If a chord of length 12 cm is at a distance of $4\sqrt{10}$ cm from the centre of the circle, then the radius of the circle is _____.

Options :

<https://previouspaper.in>

1. ✓ 14 cm
<https://previouspaper.in>

2. ✗ $\sqrt{304}$ cm

3. ✗ 4 cm

4. ✗ $\sqrt{124}$ cm

Question Number : 20 Question Id : 8946583828 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The 2019th derivative of the function $(x-1)e^{-x}$ is _____

Options :

1. ✗ $\frac{x-2019}{e^x}$

2. ✗ $\frac{2019-x}{e^x}$

3. ✗ $\frac{x-2020}{e^x}$

4. ✓ $\frac{2020-x}{e^x}$

Question Number : 21 Question Id : 8946583829 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

If $z = f(x+ct) + \phi(x-ct)$, then $\frac{\partial^2 z}{\partial t^2} =$ _____.

Options :

1. ✓ $c^2 \frac{\partial^2 z}{\partial x^2}$

2. ✖ $-c^2 \frac{\partial^2 z}{\partial x^2}$

3. ✖ $\frac{1}{c^2} \frac{\partial^2 z}{\partial x^2}$

4. ✖ $-\frac{1}{c^2} \frac{\partial^2 z}{\partial x^2}$

Question Number : 22 Question Id : 8946583830 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

If $x = r \cos \theta$, $y = r \sin \theta$ and $U = \frac{f(\theta)}{r}$ then $x \frac{\partial U}{\partial x} + y \frac{\partial U}{\partial y} =$ _____.

Options :

1. ✖ 0

2. ✖ U

3. ✔ $-U$

4. ✖ $2U$

Question Number : 23 Question Id : 8946583831 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

Let $f(x+y) = f(x)f(y)$, $\forall x, y$ and $f'(0) = 5$, $f(2019) = 15$. Then the value of $f'(2019)$ is _____.

Options :

1. ✖ 3

2. ✔ 75

3. ✖ $\frac{1}{3}$

Question Number : 24 Question Id : 8946583832 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

The set of values of x for which the function $f(x) = 2x^3 - 9x^2 + 12x + 4$ is increasing is _____.

Options :

1. ✖ $1 < x < 2$

2. ✖ all $x \in \mathbb{R}$

3. ✔ $\mathbb{R} - [1, 2]$

4. ✖ $x \geq 2$

Question Number : 25 Question Id : 8946583833 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

$$\lim_{x \rightarrow \infty} x \left(\log \left(1 + \frac{x}{2} \right) - \log \left(\frac{x}{2} \right) \right) = \underline{\hspace{2cm}}.$$

Options :

1. ✖ e^2

2. ✖ ∞

3. ✖ 1

4. ✔ 2

Question Number : 26 Question Id : 8946583834 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

If $f(x, y, z) = x^3 + xz^2 + y^3 + xyz$, $x = e^t$, $y = \cos t$, $z = t^3$ then $\frac{df}{dt}$ at $t = 0$ is _____.

Options : <https://previouspaper.in>

<https://previouspaper.in>

- 1. ✖ 2
- 2. ✖ 4
- 3. ✖ e
- 4. ✔ 3

Question Number : 27 Question Id : 8946583835 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Which of the following is the value of $5050 \times \frac{\int_0^1 (1 - (1-x)^{50})^{100} x^{49} dx}{\int_0^1 (1-x^{50})^{101} x^{49} dx}$?

Options :

- 1. ✔ 5100
- 2. ✖ 1
- 3. ✖ 5050
- 4. ✖ $\frac{1}{2}$

Question Number : 28 Question Id : 8946583836 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

$\int_0^1 \max \left\{ x, \frac{1}{2} - x \right\} dx = \underline{\hspace{2cm}}.$

Options :

- 1. ✖ 0
- 2. ✖ $\frac{1}{2}$
- 3. ✔ $\frac{9}{16}$

<https://previouspaper.in>

4. ✖ $\frac{9}{8}$

Question Number : 29 Question Id : 8946583837 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

$$\lim_{n \rightarrow \infty} \frac{1}{n^6} \sum_{k=1}^n k^5 = \underline{\hspace{2cm}}.$$

Options :

1. ✔ $\frac{1}{6}$

2. ✖ $\frac{1}{5}$

3. ✖ 1

4. ✖ 6

Question Number : 30 Question Id : 8946583838 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

$$\int_{-1}^1 \frac{x^{15} (1-x^2)^{12}}{(1+x^2)^8} dx = \underline{\hspace{2cm}}.$$

Options :

1. ✖ 0

2. ✔ $\frac{22}{7} - \pi$

3. ✖ $\frac{2}{105}$

4. ✖ $\frac{71}{15} - \frac{3\pi}{4}$

Question Number : 31 Question Id : 8946583839 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The area of the region bounded by the curves $y = 2 - x^2$ and $y = -x$ is _____.
<https://previouspaper.in>

Options :

1. ✖ 1
2. ✖ $\frac{8}{19}$
3. ✖ $\frac{35}{4}$
4. ✔ $\frac{27}{6}$

Question Number : 32 Question Id : 8946583840 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

The volume of the solid obtained by revolving the region bounded by the curves
 $y = x^3$, $y = 8$ and $x = 0$ about the y -axis is _____

Options :

1. ✖ $\frac{96}{5}$
2. ✔ $\frac{96\pi}{5}$
3. ✖ $\frac{32\pi}{5}$
4. ✖ $\frac{32}{5}$

Question Number : 33 Question Id : 8946583841 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

The value of $\int_0^{\pi} \theta \sin^2 \theta \cos^4 \theta d\theta$ is _____.

Options :

1. ✔ $\frac{\pi^2}{32}$

<https://previouspaper.in>

2. ✖ $\frac{\pi}{32}$

3. ✖ $\frac{\pi^2}{16}$

4. ✖ $\frac{\pi}{16}$

Question Number : 34 Question Id : 8946583842 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The average value of the function $f(x) = 4 - x^2$ over the interval $[-1, 3]$ is _____.

Options :

1. ✖ 5

2. ✖ $\frac{20}{3}$

3. ✔ $\frac{5}{3}$

4. ✖ 1

Question Number : 35 Question Id : 8946583843 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The differential equation $x \frac{dy}{dx} = y + x^2$, $x > 0$ satisfying $y(0) = 0$ has _____.

Options :

1. ✔ infinitely many solutions

2. ✖ no solution

3. ✖ a unique solution

4. ✖ exactly two solutions

The differential equation $(axy^3 + y \cos x)dx + (x^2y^2 + b \sin x)dy = 0$ is an exact differential equation for _____.

Options :

1. ✖ $a = 1, b = \frac{3}{2}$

2. ✖ $a = \frac{3}{2}, b = 1$

3. ✔ $a = \frac{2}{3}, b = 1$

4. ✖ $a = 1, b = \frac{2}{3}$

Question Number : 37 Question Id : 8946583845 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

If $\sin x$ is a solution of the differential equation $\frac{d^4y}{dx^4} + 2\frac{d^3y}{dx^3} + 6\frac{d^2y}{dx^2} + 2\frac{dy}{dx} + 5y = 0$, then the general solution is _____.

Options :

1. ✔ $y = c_1 \sin x + c_2 \cos x + e^{-x}(c_3 \sin 2x + c_4 \cos 2x)$

2. ✖ $y = c_1 \sin x + c_2 \cos x + c_3 \sin 2x + c_4 \cos 2x$

3. ✖ $y = c_1 \sin x + c_2 \cos x + c_3 e^{-3x} + c_4 e^{-2x}$

4. ✖ $y = c_1 \sin x + c_2 \cos x + c_3 e^{3x} + c_4 e^{2x}$

Question Number : 38 Question Id : 8946583846 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

If $D \equiv \frac{d}{dx}$ then $\frac{1}{D^2 - 4D + 13} (6e^{2x} \sin 3x)$ is _____.

Options :

1. ✓ $-xe^{2x} \cos 3x$

2. ✗ $xe^{2x} \cos 3x$

3. ✗ $-xe^{2x} \sin 3x$

4. ✗ $xe^{2x} \sin 3x$

Question Number : 39 Question Id : 8946583847 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

The general solution of $\left(\frac{e^{-2\sqrt{x}}}{\sqrt{x}} - \frac{y}{\sqrt{x}} \right) \frac{dx}{dy} = 1$ is _____.

Options :

1. ✗ $y = e^{2\sqrt{x}} (2\sqrt{x} + c)$

2. ✗ $y = 2\sqrt{x} e^{2\sqrt{x}} + c$

3. ✗ $y = 2\sqrt{x} e^{-2\sqrt{x}} + c$

4. ✓ $y = e^{-2\sqrt{x}} (2\sqrt{x} + c)$

Question Number : 40 Question Id : 8946583848 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

Let y be the solution of the differential equation $\frac{dy}{dx} + y = x$, $x \in \mathbb{R}$ and $y(-1) = 0$.

Then, $y(1)$ is equal to _____.

Options :

1. ✖ $\frac{2}{e} - \frac{2}{e^2}$

2. ✔ $2e^{-2}$

3. ✖ $2 - \frac{2}{e}$

4. ✖ $2 - 2e$

Question Number : 41 Question Id : 8946583849 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

If the substitution $x = X + h$, $y = Y + k$ transforms the differential equation $(y - x + 1)dy - (y + x + 2)dx = 0$ into a homogeneous equation, then the value of (h, k) is _____.

Options :

1. ✖ $\left(\frac{1}{2}, \frac{3}{2}\right)$

2. ✔ $\left(\frac{-1}{2}, \frac{-3}{2}\right)$

3. ✖ $\left(\frac{3}{2}, \frac{1}{2}\right)$

4. ✖ $\left(\frac{-3}{2}, \frac{-1}{2}\right)$

Question Number : 42 Question Id : 8946583850 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

The general solution of $\frac{dy}{dx} - y = y^2(\sin x + \cos x)$ is _____.

Options :

1. ✖ $y = \frac{1}{ce^{-x} - \sin x}$

2. ✖ $y = ce^{-x} - e^x \sin x$

3. ✖ $y = ce^{-x} - \sin x$

4. ✔ $y = \frac{1}{ce^{-x} - \sin x}$

Question Number : 43 Question Id : 8946583851 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

The Laplace transform of the function $f(t) = \begin{cases} \sin t, & \text{for } 0 \leq t \leq \pi \\ 0, & \text{for } t > \pi \end{cases}$ is _____.

Options :

1. ✖ $\frac{1}{(1+s^2)}$ for all $s > 0$

2. ✖ $\frac{1}{(1+s^2)}$ for all $s < \pi$

3. ✔ $\frac{(1+e^{-\pi s})}{(1+s^2)}$ for all $s > 0$

4. ✖ $\frac{e^{-\pi s}}{(1+s^2)}$ for all $s > 0$

Question Number : 44 Question Id : 8946583852 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

The inverse Laplace transform of $\frac{5}{s} - \frac{3e^{-3s}}{s} - \frac{2e^{-7s}}{s}$ is _____.

Options : <https://previouspaper.in>

1. ✖

$$f(x) = \begin{cases} 5, & 0 < x < 3 \\ 0, & 3 < x < 7 \\ 2, & x > 7 \end{cases}$$

2. ✖

$$f(x) = \begin{cases} 5, & 0 < x < 7 \\ 2, & x > 7 \end{cases}$$

3. ✔

$$f(x) = \begin{cases} 5, & 0 < x < 3 \\ 2, & 3 < x < 7 \\ 0, & x > 7 \end{cases}$$

4. ✖

$$f(x) = \begin{cases} 5, & 0 < x < 7 \\ 0, & x > 7 \end{cases}$$

Question Number : 45 Question Id : 8946583853 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

The Laplace transform of a function $f(x)$ is $F(s) = \frac{1}{s^3 + 2s^2 + 2s}$. Then, $\lim_{x \rightarrow 0} f(x) =$

_____.

Options :

1. ✔ 0

2. ✖ 3

3. ✖ ∞

4. ✖ $\frac{1}{2}$

Question Number : 46 Question Id : 8946583854 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

The Laplace transform of the solution of the differential equation $\frac{dy}{dx} - 2y = e^{5x}$ with the

initial condition $y(0) = 3$ is _____.

Options :

1. ✖ $\frac{1}{3(s-2)} + \frac{1}{3(s-5)}$

2. ✖ $\frac{8}{3(s-2)} + \frac{1}{s-5}$

3. ✔ $\frac{8}{3(s-2)} + \frac{1}{3(s-5)}$

4. ✖ $\frac{8}{s-2} + \frac{1}{3(s-5)}$

Question Number : 47 Question Id : 8946583855 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

If $L(y(x)) = Y(s)$ and $y(x) = x^3 + \int_0^x \sin(x-t)y(t)dt$ then $\frac{1}{6}Y(s) =$ _____.

Options :

1. ✔ $\left(\frac{1}{s^4} + \frac{1}{s^6}\right)$

2. ✖ $\left(\frac{1}{s^3} + \frac{1}{s^5}\right)$

3. ✖ $\left(\frac{1}{s^3} + \frac{1}{s^7}\right)$

4. ✖ $\left(\frac{1}{s} + \frac{1}{s^3}\right)$

Question Number : 48 Question Id : 8946583856 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

For $x > 0$, $\int_0^{\infty} \frac{\sin xt}{t} dt$ is _____.

Options :

1. ✖ 0
2. ✖ $\frac{\pi}{2x}$
3. ✖ $\frac{1}{x}$
4. ✔ $\frac{\pi}{2}$

Question Number : 49 Question Id : 8946583857 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

If $f(x) = \frac{1}{2}a_0 + \sum_{n=1}^{\infty} (a_n \cos nx + b_n \sin nx)$ is the Fourier series of the function

$$f(x) = \begin{cases} 0, & -\pi \leq x < 0 \\ \pi, & 0 \leq x \leq \pi \end{cases} \text{ then, which of the following is TRUE?}$$

Options :

1. ✖ $a_n = 0$, for all $n \geq 0$
2. ✖ $a_0 = \frac{\pi}{2}$ and $a_n = 0$, for all $n \geq 1$
3. ✖ $b_n \neq 0$, for all $n \geq 1$
4. ✔ $a_0 = \pi$ and $a_n = 0$, for all $n \geq 1$

Question Number : 50 Question Id : 8946583858 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

A function $f(x)$ is such that $f(x + 2\pi) = f(x)$ and $f(x) = x$, $-\pi \leq x \leq \pi$. The Fourier series of $f(x)$ is _____.

Options : <https://previouspaper.in>

1. ✓

$$2(\sin x - \frac{1}{2}\sin 2x + \frac{1}{3}\sin 3x - \dots)$$

2. ✗

$$2(\sin x + \frac{1}{2}\sin 2x + \frac{1}{3}\sin 3x + \dots)$$

3. ✗

$$2(\cos x - \frac{1}{2}\cos 2x + \frac{1}{3}\cos 3x - \dots)$$

4. ✗

$$2(\cos x + \frac{1}{2}\cos 2x + \frac{1}{3}\cos 3x + \dots)$$

Physics

Section Id :

89465876

Section Number :

2

Section type :

Online

Mandatory or Optional:

Mandatory

Number of Questions:

25

Number of Questions to be attempted:

25

Section Marks:

25

Display Number Panel:

Yes

Group All Questions:

No

Sub-Section Number:

1

Sub-Section Id:

89465886

Question Shuffling Allowed :

Yes

Question Number : 51 Question Id : 8946583859 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The dimensional formula for gravitational constant is _____.

Options :

1. ✓

$$L^3T^{-2}M^{-1}$$

2. ✗

$$L^3T^2M^{-1}$$

3. ✗

$$L^2T^3M^{-2}$$

4. ✗

$$L^3T^1M^{-3}$$

The dimensions of the quantities in one of the following pairs are same. Identify the pairs.

Options :

1. ✓ torque and work
2. ✗ angular momentum and work
3. ✗ energy and Young's modules
4. ✓ light year and wavelength

Note: For this question, ambiguity is found in question/answer. Candidate will get full marks for this question if any of the correct options are chosen.

Which of the following is not correct?

Options :

1. ✗ $\mathbf{j} \times \mathbf{i} = -\mathbf{k}$
2. ✗ $\mathbf{k} \times \mathbf{j} = -\mathbf{i}$
3. ✗ $\mathbf{i} \times \mathbf{k} = -\mathbf{j}$
4. ✓ $\mathbf{k} \times \mathbf{i} = -\mathbf{j}$

If $0.5\mathbf{i} + 0.8\mathbf{j} + c\mathbf{k}$ is a unit vector then c is _____.

Options :

1. ✗ $\sqrt{0.89}$
2. ✗ 0.2
3. ✗ 0.3

Question Number : 55 Question Id : 8946583863 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

Which of the following is correct?

Options :

1. ✗ $A.B \neq B.A$
2. ✓ $A.(B+C) = A.B + C.A$
3. ✗ $A.B = A.B - A.C$
4. ✗ $A.B = -B.A$

Question Number : 56 Question Id : 8946583864 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

The acceleration due to gravity on the surface of the earth is given by_____

Options :

1. ✗ G
2. ✓ GM/R^2
3. ✗ GM/R
4. ✗ GM

Question Number : 57 Question Id : 8946583865 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

The value of g is maximum at_____.

Options :

1. ✗ equator
2. ✓ Pole

3. ✖ higher altitudes
<https://previouspaper.in>

4. ✖ at the centre of the earth

Question Number : 58 Question Id : 8946583866 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

When the speed of rotation of earth increases your weight_____

Options :

1. ✖ increases

2. ✔ decreases

3. ✖ remains constant

4. ✖ becomes zero

Question Number : 59 Question Id : 8946583867 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

The value of G is zero at_____

Options :

1. ✔ nowhere

2. ✖ the centre of the earth

3. ✖ surface of the earth

4. ✖ pole

Question Number : 60 Question Id : 8946583868 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

If the linear momentum is increased by 50%, the kinetic energy will be increased
by_____

Options :

<https://previouspaper.in>

1. ✖ 50%

<https://previouspaper.in>

2. ✖ 100%

3. ✔ 125%

4. ✖ 25%

Question Number : 61 Question Id : 8946583869 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

A metallic block slides down a smooth inclined plane when released from the top, while the other falls freely from the same point, then _____

Options :

1. ✔ both will reach the ground with the same velocity

2. ✖ both will reach the ground together

3. ✖ both will reach the ground travelling with same acceleration

4. ✖ the block sliding down the plane will strike earlier

Question Number : 62 Question Id : 8946583870 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

A long spring is stretched by 2 cm and its potential energy is u . If the spring is stretched by 10 cm, then the potential energy stored in it will be _____.

Options :

1. ✖ $u/24$

2. ✖ $u/5$

3. ✖ $5u$

4. ✔ $25u$

<https://previouspaper.in>

Two masses of 1 gm and 4 gm are moving with equal kinetic energies. The ratio of the magnitudes of their linear momentum is _____

Options :

1. ✖ 4:1
2. ✖ $\sqrt{2}:1$
3. ✔ 1:2
4. ✖ 1:16

Question Number : 64 Question Id : 8946583872 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

A body is dropped from rest at height 0.5 m. What will be its velocity when it just strikes the ground?

Options :

1. ✖ 7 m/s
2. ✖ 9.8 m/s
3. ✖ 4.9 m/s
4. ✔ $\sqrt{9.8}$ m/s

Question Number : 65 Question Id : 8946583873 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

A particle moves such that its acceleration a is given by $a = -bx$ where x is the displacement from equilibrium and b is a constant. The period of Oscillation is _____.

Note: For this question, discrepancy is found in question/answer. Full Marks is being awarded to all candidates.

Options :

1. $2\pi b$

2. $2\pi\sqrt{b}$ <https://previouspaper.in>

3. $2\pi/b$

4. $2\sqrt{\pi}/b$

Question Number : 66 Question Id : 8946583874 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

A particle is vibrating in simple harmonic motion with amplitude of 4 cm. At what displacement from the equilibrium position is its energy half potential and half kinetic?

Options :

1. ✖ 1 cm

2. ✖ $\sqrt{2}$ cm

3. ✖ 2 cm

4. ✔ $2\sqrt{2}$ cm

Question Number : 67 Question Id : 8946583875 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

When a star approaches the earth, the waves are shifted towards _____

Options :

1. ✖ green colour

2. ✖ yellow colour

3. ✔ blue end

4. ✖ red end

Question Number : 68 Question Id : 8946583876 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

<https://previouspaper.in>

If a tuning fork of frequency 90 is sounded and moved towards an observer with a velocity equal to one tenth the velocity of sound, then the note heard by the observer will have frequency_____.

<https://previouspaper.in>

Options :

1. ✓ 100
2. ✗ 90
3. ✗ 80
4. ✗ 900

Question Number : 69 Question Id : 8946583877 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

What is the most important factor which helps to recognise a person by his/her voice alone_____

Options :

1. ✓ quality
2. ✗ pitch
3. ✗ intensity
4. ✗ quality, pitch and intensity

Question Number : 70 Question Id : 8946583878 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The quality of tone_____

Options :

1. ✗ decreases with loudness
2. ✗ varies inversely as amplitude
3. ✗ varies directly as pitch

<https://previouspaper.in>

4. ✓ depends on the overtones present
<https://previouspaper.in>

Question Number : 71 Question Id : 8946583879 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The conduction of heat from hot body to cold body is an example of _____.

Options :

1. ✗ reversible process
2. ✓ irreversible process
3. ✗ isothermal process
4. ✗ isobaric process

Question Number : 72 Question Id : 8946583880 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

From the isothermal drawn from Andrews experiment, it can be inferred that _____

Options :

1. ✗ CO_2 is a perfect gas
2. ✓ there is continuity of state
3. ✗ there is discontinuity of state
4. ✗ gases like CO_2 and H_2 cannot be liquefied

Question Number : 73 Question Id : 8946583881 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

A diesel cycle works at _____

Options :

1. ✗ constant volume
2. ✓ constant pressure

3. ✖ constant temperature
<https://previouspaper.in>
4. ✖ both constant volume and constant temperature

Question Number : 74 Question Id : 8946583882 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

The transition temperature of most low temperature superconducting elements is in the
range of _____

Options :

1. ✔ zero to 10 k
2. ✖ 10 k to 20 k
3. ✖ 20 k to 50 k
4. ✖ 50 k alone

Question Number : 75 Question Id : 8946583883 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

Propagation of light through fiber core is due to _____

Options :

1. ✖ diffraction
2. ✖ interference
3. ✔ total internal reflection
4. ✖ reflection

Section Id :
Section Number :
Section type :
Mandatory or Optional:
Number of Questions:
Number of Questions to be attempted:

Chemistry
89465877
3
Online
Mandatory
25
<https://previouspaper.in>
25

Section Marks:
Display Number Panel:
Group All Questions:

25
Yes
No

Sub-Section Number: 1
Sub-Section Id: 89465887
Question Shuffling Allowed : Yes

Question Number : 76 Question Id : 8946583884 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

Which of the following energy orders is correct?

Options :

1. ✓ $6s < 4f < 5d < 6p$
2. ✗ $4f < 5d < 6s < 6p$
3. ✗ $4f < 6s < 6p < 5d$
4. ✗ $6s < 6p < 5d < 4f$

Question Number : 77 Question Id : 8946583885 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

An element A of atomic number 11 combines with an element B of atomic number 17. The compound formed is _____.

Options :

1. ✗ Covalent AB
2. ✓ Ionic AB
3. ✗ Covalent AB₂
4. ✗ Ionic AB₂

Question Number : 78 Question Id : 8946583886 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

The oxidation number of 'S' in S₈, S₂F₂, H₂S respectively are _____.

Options : <https://previouspaper.in>

1. ✓ 0, +1 and -2
<https://previouspaper.in>

2. ✗ +2, +1 and -2

3. ✗ 0, +1 and +2

4. ✗ -2, +1 and -2

Question Number : 79 Question Id : 8946583887 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The elements A, B, C and D have the following electronic configurations:

A: $1s^2, 2s^2, 2p^1$

B: $1s^2, 2s^2, 2p^6, 3s^2, 3p^1$

C: $1s^2, 2s^2, 2p^6, 3s^2, 3p^3$

D: $1s^2, 2s^2, 2p^6, 3s^2, 3p^5$

The elements that belong to same group are _____.

Options :

1. ✗ A and C

2. ✗ C and D

3. ✗ A and D

4. ✓ A and B

Question Number : 80 Question Id : 8946583888 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

4.9 gm of H_2SO_4 is present in 2 lit of its solution. The molarity of the solution is

_____.

Options :

<https://previouspaper.in>

1. ✖ 0.1 M
<https://previouspaper.in>

2. ✔ 0.025 M

3. ✖ 0.25 M

4. ✖ 0.01 M

Question Number : 81 Question Id : 8946583889 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The molecular weight of H_3PO_4 is 98. The equivalent weight is _____ gram / equivalents.

Options :

1. ✖ 98

2. ✖ 49

3. ✔ 32.66

4. ✖ 24.5

Question Number : 82 Question Id : 8946583890 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Which of the following is the Bronsted acid?

Options :

1. ✖ Cl^-

2. ✖ NH_2^-

3. ✖ CH_3COO^-

4. ✔ NH_4^+

The pH of 1 M KOH is _____.

Options :

1. ✖ 12

2. ✖ 11

3. ✔ 14

4. ✖ 13

Question Number : 84 Question Id : 8946583892 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

Froth floatation process is used for the _____.

Options :

1. ✖ Oxide ores

2. ✔ Sulphide ores

3. ✖ Chloride ores

4. ✖ Oxide ores and Chloride ores

Question Number : 85 Question Id : 8946583893 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

The composition of brass is _____.

Options :

1. ✔ Cu and Zn

2. ✖ Cu and Ni

3. ✖ Cu and Mn

4. ✖ Cu and Fe

Question Number : 86 Question Id : 8946583894 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

Which of the following statements is correct?

Options :

1. ✗ Cathode is positive terminal in an electrolytic cell
2. ✗ Cathode is negative terminal in a galvanic cell
3. ✓ Reduction occurs at cathode in either of cells
4. ✗ Oxidation occurs at cathode in either of cells

Question Number : 87 Question Id : 8946583895 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

In the electrolysis of CuCl_2 solution using copper electrode, if 2.5 gm of Cu is deposited at cathode, then at anode _____.

Options :

1. ✗ 890 mL of Cl_2 at STP is liberated
2. ✗ 445 mL of O_2 at STP is liberated
3. ✗ 2.5 gm of copper is deposited
4. ✓ a decrease of 2.5 gm of mass takes place

Question Number : 88 Question Id : 8946583896 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

The unit of resistivity is _____.

Options :

1. ✗ Ω
2. ✓ $\Omega \text{ m}$

3. ✖ Ω / m
<https://previouspaper.in>

4. ✖ $\Omega \text{ m}^2$

Question Number : 89 Question Id : 8946583897 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Which of the following metals provide cathodic protection to iron?

Options :

1. ✖ Cu and Ni

2. ✔ Al and Zn

3. ✖ Al and Cu

4. ✖ Co and Ni

Question Number : 90 Question Id : 8946583898 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The chemical composition of rust is _____.

Options :

1. ✖ Fe_3O_4

2. ✖ Fe_3O_3

3. ✔ $\text{Fe}_2\text{O}_3 \cdot n\text{H}_2\text{O}$

4. ✖ $\text{Fe}_3\text{O}_3 \cdot x\text{H}_2\text{O}$

Question Number : 91 Question Id : 8946583899 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

1 ppm of hardness of water is equal to _____.

Options :

1. ✔ 1 part of CaCO_3 hardness in 10^6 parts of water

2. ✖ 1 part of CaCO_3 hardness in 10^8 parts of water
<https://previouspaper.in>
3. ✖ 1 part of CaCO_3 hardness in 10^7 parts of water
4. ✖ 1 part of CaCO_3 hardness in 10^5 parts of water

Question Number : 92 Question Id : 8946583900 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The temporary hardness of water is due to the presence of _____.

Options :

1. ✖ MgCl_2 and CaCl_2
2. ✖ $\text{Ca}(\text{NO}_3)_2$ and $\text{Mg}(\text{NO}_3)_2$
3. ✖ CaSO_4 and MgSO_4
4. ✔ $\text{Ca}(\text{HCO}_3)_2$ and $\text{Mg}(\text{HCO}_3)_2$

Question Number : 93 Question Id : 8946583901 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The basic buffer solution is a mixture of _____.

Options :

1. ✔ $\text{NH}_3 + \text{NH}_4\text{Cl}$
2. ✖ $\text{HCl} + \text{NH}_4\text{Cl}$
3. ✖ $\text{NaCl} + \text{NH}_4\text{Cl}$
4. ✖ $\text{KOH} + \text{NH}_4\text{Cl}$

Question Number : 94 Question Id : 8946583902 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Which of the following polymers has amide linkage?

Options :

<https://previouspaper.in>

1. ✖ Terylene
<https://previouspaper.in>

2. ✖ Bakelite

3. ✔ Nylon

4. ✖ PVC

Question Number : 95 Question Id : 8946583903 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The monomer of natural rubber is _____.

Options :

1. ✖ Butadiene

2. ✖ Chloroprene

3. ✖ 2-methyl 1,2 butadiene

4. ✔ 2-methyl 1,3 butadiene

Question Number : 96 Question Id : 8946583904 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Which of the following is a thermo setting?

Options :

1. ✔ Bakelite

2. ✖ Polyethylene

3. ✖ Nylon-6

4. ✖ Natural rubber

Question Number : 97 Question Id : 8946583905 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The composition of water gas is _____.

<https://previouspaper.in>

Options :

1. ✓ CO and H₂ are combustible gases and CO₂ and N₂ are non-combustible gases
<https://previouspaper.in>

2. ✗ CO + CO₂ are combustible gases and H₂O and N₂ non-combustible gases

3. ✗ CO + N₂ are combustible gases and H₂O and H₂ are non-combustible gases

4. ✗ N₂ + H₂ are combustible gases and CO + H₂O are non-combustible gases

Question Number : 98 Question Id : 8946583906 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Earth is protected from UV radiation by _____.

Options :

1. ✗ Nitrogen layer

2. ✓ Ozone layer

3. ✗ Carbon dioxide layer

4. ✗ Oxygen layer

Question Number : 99 Question Id : 8946583907 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Which of following statements is not correct?

Options :

1. ✗ CO is the main air pollutant

2. ✗ All pollutants are not wastes

3. ✓ Water is polluted by dissolved Oxygen

4. ✗ Lichens are pollution indicators

Question Number : 100 Question Id : 8946583908 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

<https://previouspaper.in>

Minamata disease is caused due to the presence of _____.

<https://previouspaper.in>

Options :

1. ✖ Cd
2. ✖ Pb
3. ✖ As
4. ✔ Hg

Computer Science and Engineering

Section Id :	89465878
Section Number :	4
Section type :	Online
Mandatory or Optional:	Mandatory
Number of Questions:	100
Number of Questions to be attempted:	100
Section Marks:	100
Display Number Panel:	Yes
Group All Questions:	No

Sub-Section Number:	1
Sub-Section Id:	89465888
Question Shuffling Allowed :	Yes

Question Number : 101 Question Id : 8946583909 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Match the following:

List I

- (a) 8251A
- (b) 8255A
- (c) 8259A

List II

- (i) Programmable Peripheral Interface
- (ii) Programmable Interface Controller
- (iii) Programmable Communication Interface

Options :

1. ✖ a-i, b-iii, c-ii
2. ✖ a-iii, b-ii, c-i

3. ✖ a-i, b-ii, c-iii
<https://previouspaper.in>

4. ✔ a-iii, b-i, c-ii

Question Number : 102 Question Id : 8946583910 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

Choose the correct pair of instructions designed to aid the sign-extension process

Options :

1. ✔ CBW and CWD

2. ✖ INC and DEC

3. ✖ NEG and POS

4. ✖ CMP and XGHS

Question Number : 103 Question Id : 8946583911 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

When $J = K = 1$, then JK flip-flop functions like a/an _____.

Options :

1. ✖ D flip-flop

2. ✖ S-R flip-flop

3. ✖ NAND gate

4. ✔ T flip-flop

Question Number : 104 Question Id : 8946583912 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

Two numbers with digits X and Y and radix 3 and 4 have following relationship:

$(XY)_3 = (YX)_4$, then what are the values of X and Y?

Options :

1. ✔ $X = 3$ and $Y = 2$

2. ✖ $X = 5$ and $Y = 4$
<https://previouspaper.in>

3. ✖ $X = 1$ and $Y = 2$

4. ✖ $X = 3$ and $Y = 1$

Question Number : 105 Question Id : 8946583913 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

Which of the following are employed in digital computers for generating binary control decisions?

Options :

1. ✔ combinational circuits

2. ✖ sequential circuits

3. ✖ binary counters

4. ✖ segment registers

Question Number : 106 Question Id : 8946583914 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

Which of the following is the maximum number of prime implicants possible for an n -variable Boolean function?

Options :

1. ✔ 2^{n-1}

2. ✖ $2n$

3. ✖ 2^{n+1}

4. ✖ 2^n

Question Number : 107 Question Id : 8946583915 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0
<https://previouspaper.in>

A simplified form of the Boolean function $F(A, B, C) = \Sigma(0, 2, 4, 5, 6)$ is _____.

<https://previouspaper.in>

Options :

1. ✗ $F = BC + AC'$
2. ✓ $F = C' + AB'$
3. ✗ $F = BC + AC$
4. ✗ $F = A' + BC$

Question Number : 108 Question Id : 8946583916 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Which digital logic family is suitable for circuits that need high component density?

Options :

1. ✗ TTL
2. ✗ ECL
3. ✓ MOS
4. ✗ CMOS

Question Number : 109 Question Id : 8946583917 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

According to Flynn's classification, MISD stands for _____.

Options :

1. ✗ Multiple Input Sequential Data
2. ✓ Multiple Instruction stream Single data stream
3. ✗ Multiple Input Single Data output
4. ✗ Multiple Input Single Data stream

A three-input decoder has _____ outputs.

Options :

- 1. ✖ 4
- 2. ✔ 8
- 3. ✖ 12
- 4. ✖ 6

What is the maximum possible range of sequence for Mod-16 binary up-counter?

Options :

- 1. ✖ 0 to 256
- 2. ✖ 0 to 255
- 3. ✔ 0 to 15
- 4. ✖ 0 to 16

Which is an implementation technique where the phases of a computer instruction cycle overlap in execution?

Options :

- 1. ✖ context switching
- 2. ✖ vector processing
- 3. ✖ array processing

Question Number : 113 Question Id : 8946583921 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The Intel 8086 processor has _____ bit address space.

Options :

- 1. ✗ 8
- 2. ✗ 16
- 3. ✓ 20
- 4. ✗ 32

Question Number : 114 Question Id : 8946583922 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The Intel 8086 processor has _____ segment registers to point to segments of memory.

Options :

- 1. ✗ 8
- 2. ✓ 4
- 3. ✗ 6
- 4. ✗ 2

Question Number : 115 Question Id : 8946583923 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Which of the following is correct during mode-2 operation of 8255?

Options :

- 1. ✗ port A can be configured as 8-bit I/O port
 - 2. ✓ port A can be configured as bidirectional port
 - 3. ✗ port B can be configured as bidirectional port
- <https://previouspaper.in>

4. ✖ port C can be configured as bidirectional port
<https://previouspaper.in>

Question Number : 116 Question Id : 8946583924 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

What are the address lines of the interrupts RST 7 and 8?

Note: For this question, discrepancy is found in question/answer. Full Marks is being awarded to all candidates.

Options :

1. 0036 H and 0038H
2. 0030H and 0030H
3. 0032 H and 0034H
4. 0030 H and 0038H

Question Number : 117 Question Id : 8946583925 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

In 80486 processor a _____ way set-associative cache is used for instructions and data.

Options :

1. ✖ 2
2. ✖ 3
3. ✔ 4
4. ✖ 5

Question Number : 118 Question Id : 8946583926 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

For 80386 processor, _____ allows the application programmer to organize the main memory in logical modules.

Options :

1. ✖ protection

2. ✖ input/ output
<https://previouspaper.in>

3. ✖ bus

4. ✔ segmentation

Question Number : 119 Question Id : 8946583927 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

When the word read from memory is an operand, the computer is in _____ cycle.

Options :

1. ✖ fetch

2. ✔ execute

3. ✖ Indirect

4. ✖ Empty

Question Number : 120 Question Id : 8946583928 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

What is the content of the simplest type of dynamic RAM cell?

Options :

1. ✖ one transistor and one flip-flop

2. ✖ only one register and one transistor

3. ✔ only one transistor and one capacitor

4. ✖ one capacitor and one inductor

Question Number : 121 Question Id : 8946583929 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

What is the purpose of having combinational gates in registers?

Options :

<https://previouspaper.in>

1. ☒ to perform data-processing tasks
<https://previouspaper.in>

2. ☐ to encode the data

3. ☐ to decode the data

4. ☐ to encrypt the data

Question Number : 122 Question Id : 8946583930 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

In the _____ mode, the content of the program counter is added to the address part of the instruction to obtain the effective address.

Options :

1. ☐ absolute address

2. ☐ indexed address

3. ☐ auto decrement

4. ☒ relative-address

Question Number : 123 Question Id : 8946583931 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Memory mapped I/O allows the use of _____ type instructions to access I/O data.

Options :

1. ☐ I/O

2. ☒ Memory

3. ☐ Key board

4. ☐ Register

Question Number : 124 Question Id : 8946583932 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

In <https://previouspaper.in> controlled I/O, the processor repeatedly polls I/O device.

Options :

1. ✗ I/O
2. ✗ DMA
3. ✓ Program
4. ✗ Interrupt

Question Number : 125 Question Id : 8946583933 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

In direct memory access the interface transfers data into and out of the memory unit through the _____ bus.

Options :

1. ✗ CPU
2. ✗ Input
3. ✗ Output
4. ✓ Memory

Question Number : 126 Question Id : 8946583934 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The terms DTE and DCE are connected with which interface device?

Options :

1. ✗ 8255
2. ✓ 8251
3. ✗ 8257
4. ✗ 8259

<https://previouspaper.in>

Question Number : 127 Question Id : 8946583935 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

What is the decimal equivalent of the octal number 736.4?

Options :

1. ✖ 487.5

2. ✖ 463.5

3. ✔ 478.5

4. ✖ 352.5

Question Number : 128 Question Id : 8946583936 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

_____ memory systems permit user to construct his/her programs as though he/she had a memory space equal to the totality of the auxiliary memory.

Options :

1. ✖ Cache

2. ✖ Register

3. ✖ I/O

4. ✔ Virtual

Question Number : 129 Question Id : 8946583937 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

A _____ is a collection of one or more variables, possibly of different types grouped together under single name.

Options :

1. ✔ structure

2. ✖ class

<https://previouspaper.in>

3. ✖ object
<https://previouspaper.in>

4. ✖ Pointer

Question Number : 130 Question Id : 8946583938 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The number of values returned by a function is ____.

Options :

1. ✖ 0

2. ✔ 1

3. ✖ 2

4. ✖ -1

Question Number : 131 Question Id : 8946583939 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

What is the output of the following program?

```
#include <stdio.h>
```

```
int jumble(int x, int y){
```

```
    x=2*x+y;
```

```
    return x; }
```

```
int main()
```

```
{ int x=2, y=5;
```

```
x=jumble(y, x); y=jumble(y, x);
```

```
printf("%d \n", y);
```

```
return 0; }
```

Options :

1. ✖ 5

2. ✖ 2

<https://previouspaper.in>

3. ✔ 22

4. ✖ 26

Question Number : 132 Question Id : 8946583940 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

Consider the following program:

```
#include<stdio.h>

int main()
{ int i = 0;
  int j = sizeof(i++);
  printf("%d %d", i, j);
  return 0;}
```

What is the output of the program?

Options :

1. ✔ 0 4

2. ✖ 1 1

3. ✖ 0 1

4. ✖ 4 0

Question Number : 133 Question Id : 8946583941 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

Which of the following is **not** used as a keyword for storage classes?

Options :

1. ✖ auto

2. ✖ static

<https://previouspaper.in>

3.  dynamic
<https://previouspaper.in>

4.  extern

Question Number : 134 Question Id : 8946583942 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

Which of the following registers is a 6-byte queue in 8086?

Options :

- 1.  base pointer
- 2.  instruction register
- 3.  programme counter
- 4.  stack segment register

Question Number : 135 Question Id : 8946583943 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

Consider the following program:

```
#include<stdio.h>

int main()
{
    int a=25, b;
    b = a<<1>>2<<2>>3;
    printf("%d", b);
    return 0;}
```

What is the output of the program?

Options :

- 1.  25
- 2.  6

3. ✖ 24
<https://previouspaper.in>

4. ✖ 7

Question Number : 136 Question Id : 8946583944 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The result of evaluating the postfix expression $5\ 4\ +\ 6\ * \ 8\ -\ 6\ +\ 7\ *$ is _____.

Options :

1. ✖ 280

2. ✔ 364

3. ✖ 481

4. ✖ 502

Question Number : 137 Question Id : 8946583945 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

What is the time complexity of the following algorithm when $n = 2^k$, for some $k \geq 0$?

Algorithm Display(n)

for (i=1; i ≤ n; i=i+4)

for (j=1; j ≤ n; j=j*2)

print "All the Best."

Options :

1. ✖ $\Theta(n^2)$

2. ✖ $O(n^{1.5})$

3. ✔ $\Theta(n \log n)$

4. ✖ $\Theta((\log n)^2)$

Question Number : 138 Question Id : 8946583946 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The best-case, the average-case and the worst-case running time of binary search algorithm is _____ respectively.

Options :

1. ✗ $\Theta(1), \Theta(\log n), \Theta(n)$
2. ✗ $\Theta(\log n), \Theta(\log n), \Theta(\log n)$
3. ✗ $\Theta(1), \Theta(1), \Theta(\log n)$
4. ✓ $\Theta(1), \Theta(\log n), \Theta(\log n)$

Question Number : 139 Question Id : 8946583947 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Which of the following recurrences describes the worst-case running time of quicksort algorithm?

Options :

1. ✓ $T(n) = T(n-1) + \Theta(n)$ for $n \geq 2$ and $T(1) = O(1)$
2. ✗ $T(n) = 2T(n/2) + \Theta(n)$ for $n \geq 2$ and $T(1) = O(1)$
3. ✗ $T(n) = 2T(n-1) + \Theta(n)$ for $n \geq 2$ and $T(1) = O(1)$
4. ✗ $T(n) = T(n/2) + \Theta(n)$ for $n \geq 2$ and $T(1) = O(1)$

Question Number : 140 Question Id : 8946583948 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Let $A[1..n]$ be an integer array with n elements such that each element of A is at most four positions away from its original position in the sorted order.

Which of the following sorting algorithms sorts array A efficiently?

Options :

1. ✗ merge sort
2. ✓ insertion sort

<https://previouspaper.in>

3. ✖ selection sort
<https://previouspaper.in>

4. ✖ bubble sort

Question Number : 141 Question Id : 8946583949 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

In the OSI reference model, a _____ layer manages and synchronizes the conversation between two different applications.

Options :

1. ✖ Network

2. ✔ session

3. ✖ data link

4. ✖ Presentation

Question Number : 142 Question Id : 8946583950 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

How many number of bits for Networks IDs and Host IDs will be available in Class C Network ?

Options :

1. ✔ 24 and 8

2. ✖ 16 and 16

3. ✖ 16 and 8

4. ✖ 8 and 24

Question Number : 143 Question Id : 8946583951 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The main function of the network layer is routing of _____ from the source machine to the destination machine.

<https://previouspaper.in>

Options :

1. ✖ <https://previouspaper.in> frames
2. ✖ wireless
3. ✔ packets
4. ✖ bit stream

Question Number : 144 Question Id : 8946583952 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

IPv6 addresses are _____ bits long.

Options :

1. ✖ 32
2. ✖ 64
3. ✔ 128
4. ✖ 256

Question Number : 145 Question Id : 8946583953 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

In the OSI reference model, Network layer deals with _____.

Options :

1. ✔ IP addressing and subnetting
2. ✖ Flow control and IP addressing
3. ✖ Classful addressing and congestion control
4. ✖ Reliable data transmission and subnetting

User Datagram Protocol (UDP) is an unreliable, _____ protocol for applications that do not want TCPs sequencing.

Options :

1. ✖ secure
2. ✔ connection less
3. ✖ connection oriented
4. ✖ control

Question Number : 147 Question Id : 8946583955 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

Which protocol is used for E-Mail server to send a mail?

Options :

1. ✖ FTP
2. ✖ POP
3. ✔ SMTP
4. ✖ SNMP

Question Number : 148 Question Id : 8946583956 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

The most common application of the twisted pair is the _____ system.

Options :

1. ✖ LAN
2. ✖ Wireless
3. ✔ Telephone

4. ✖ Radio
<https://previouspaper.in>

Question Number : 149 Question Id : 8946583957 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

A _____ cable consists of a stiff copper wire surrounded by an insulated material.

Options :

- 1. ✖ optical
- 2. ✔ coaxial
- 3. ✖ electrical
- 4. ✖ Fibre

Question Number : 150 Question Id : 8946583958 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Using _____ technique, every incoming packet is sent out on every outgoing line except the one it arrived on.

Options :

- 1. ✖ flow based
- 2. ✖ distance vector
- 3. ✔ flooding
- 4. ✖ link state

Question Number : 151 Question Id : 8946583959 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The shortest Job First scheduling algorithm is provably _____.

Options :

- 1. ✔ optimal
- 2. ✖ difficult

<https://previouspaper.in>

3. ✖ easy
<https://previouspaper.in>

4. ✖ Average

Question Number : 152 Question Id : 8946583960 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The degree of multiprogramming is _____.

Options :

- 1. ✖ the number of processes executed per unit time
- 2. ✖ the number of processes in the ready queue
- 3. ✔ the number of processes in the memory
- 4. ✖ the number of processes in the i/o queue

Question Number : 153 Question Id : 8946583961 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Number of i-nodes in use of Unix file system represents _____.

Options :

- 1. ✔ number of files
- 2. ✖ number of directions
- 3. ✖ number of internal users
- 4. ✖ number of indices

Question Number : 154 Question Id : 8946583962 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Given a logical address with the following format:
<https://previouspaper.in>

2 bits	16 bits	8 bits
Seg	Page #	Page offset

What is the maximum size of each segment and maximum number of pages per segment?

Options :

1. ☒ 16 MB and 64 K
2. ☐ 8 MB and 64K
3. ☐ 16 MB and 32K
4. ☐ 8 MB and 32 K

Question Number : 155 Question Id : 8946583963 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

When a device/ system attempts to perform two or more operations at the same time on the shared data, the result depends on the order of the usage shared data is called ____.

Options :

1. ☐ critical section
2. ☐ starvation
3. ☒ race condition
4. ☐ deadlock

Question Number : 156 Question Id : 8946583964 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

A process is in _____ state, if it is waiting for an event that will never occur.

Options :

1. ☒ deadlock

2. ✖ safe
<https://previouspaper.in>

3. ✖ unsafe

4. ✖ Starvation

Question Number : 157 Question Id : 8946583965 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

Resource _____ is one of the methods for eliminating deadlocks.

Options :

1. ✖ allocation

2. ✔ preemption

3. ✖ execution

4. ✖ elimination

Question Number : 158 Question Id : 8946583966 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

Operating System performs the following actions when a new process is created:

- (1) Allocate the memory and other resources to the process
- (2) Assign process id and priority
- (3) Create a process control block (PCB) for the process
- (4) Set up the process environment
- (5) Initialize resource accounting information for the process.

What would be the correct sequence of the above actions?

Options :

1. ✖ 4, 3, 1, 2, 5

2. ✖ 4, 3, 5, 2, 1

<https://previouspaper.in>

3. ✓ 2, 1, 3, 4, 5
<https://previouspaper.in>

4. ✗ 3, 4, 2, 5, 1

Question Number : 159 Question Id : 8946583967 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

In which of the following page replacement policies Belady's anomaly occurs?

Options :

1. ✓ FIFO

2. ✗ LRU

3. ✗ LFU

4. ✗ NRU

Question Number : 160 Question Id : 8946583968 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

A state is in _____ state if the system can allocate resources to each process in some order and still avoid a deadlock.

Options :

1. ✗ locked

2. ✗ concurrent

3. ✓ safe

4. ✗ unsafe

Question Number : 161 Question Id : 8946583969 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

'Alter table' in SQL is one of the following types of command.

Options :

<https://previouspaper.in>

1. ✖ DCL command
<https://previouspaper.in>

2. ✔ DDL command

3. ✖ DML command

4. ✖ DAL command

Question Number : 162 Question Id : 8946583970 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

A relation schema R is in _____ normal form if, whenever a nontrivial functional dependency

$X \rightarrow A$ holds in R, either (a) X is a super key of R or (b) A is a prime attribute of R.

Options :

1. ✖ 4NF

2. ✖ BCNF

3. ✔ 3NF

4. ✖ 5NF

Question Number : 163 Question Id : 8946583971 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Which normal form is not based on the concept of functional dependency?

Options :

1. ✖ Third normal form

2. ✖ Second normal form

3. ✔ First normal form

4. ✖ Boyce-Codd normal form
<https://previouspaper.in>

Question Number : 164 Question Id : 8946583972 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

A relation R is in Boyce-Codd Normal Form (BCNF) if and only if every determinant is a ____ key.

Options :

1. ✖ primary
2. ✔ candidate
3. ✖ secondary
4. ✖ Auxiliary

Question Number : 165 Question Id : 8946583973 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The conceptual schema insulates users from changes in the physical storage of the data.

This property is referred to as _____

Options :

1. ✖ data consistency
2. ✖ data insulation
3. ✖ logical data independence
4. ✔ physical data independence

Question Number : 166 Question Id : 8946583974 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

In an E-R diagram, double ellipse is used to represent _____.

Options :

1. ✔ multivalued attribute

2. ✖ composite attribute
<https://previouspaper.in>

3. ✖ weak entity set

4. ✖ identifying relationship set

Question Number : 167 Question Id : 8946583975 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

The _____ operation between two relations 'r' and 's' produces a relation with tuples which are in 'r' but not in 's'?

Options :

1. ✖ intersection

2. ✔ set difference

3. ✖ cartesian product

4. ✖ division

Question Number : 168 Question Id : 8946583976 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

What will be the result of the following SQL query?

```
SELECT S.sid FROM sailors S
```

```
WHERE S.rating >= ALL (SELECT S2.sid FROM sailors S2)
```

Options :

1. ✔ the sailors' id with the highest rating

2. ✖ the sailors' id with the minimum rating diamonds

3. ✖ the sailors' id whose rating is greater than the second set of sailors

4. ✖ the sailors' id with a rating equal to the second set of sailors

Question Number : 169 Question Id : 8946583977 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
<https://previouspaper.in>

Correct Marks : 1 Wrong Marks : 0

Which of the following mechanisms allows us to retrieve rows one at a time from a relation?

Options :

1. ✖ view
2. ✔ cursor
3. ✖ trigger
4. ✖ assertion

Question Number : 170 Question Id : 8946583978 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

A relation R is in _____ normal form if and only if all underlying domains contain atomic values only.

Options :

1. ✖ second
2. ✔ first
3. ✖ third
4. ✖ Fifth

Question Number : 171 Question Id : 8946583979 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

What is the output of the following (when embedded in a complete program)?

<https://previouspaper.in>

```
int n=5;
while (--n > 0)
{
    if(n == 2)
        exit(0);
    cout<<n<<" ";
}
cout<<"End of loop";
```

Options :

1. ✖ 2 3

2. ✔ 4 3

3. ✖ 3 4

4. ✖ 4 5

Question Number : 172 Question Id : 8946583980 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

What is the output of the following (when embedded in a complete program)?

```
int n=1;
do
    cout<<n<<" ";
while (++n <=3);
```

Options :

1. ✔ 1 2 3

2. ✖ 4 3 2

3. ✖ 2 3 4

4. ✖ 3 4 5

<https://previouspaper.in>

Correct Marks : 1 Wrong Marks : 0

A _____ member of the class is accessible by the member functions within its class and any class immediately derived from it.

Options :

1. ✖ Private

2. ✔ Protected

3. ✔ Public

4. ✖ Global

Note: For this question, ambiguity is found in question/answer. Candidate will get full marks for this question if any of the correct options are chosen.

Question Number : 174 Question Id : 8946583982 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Which of the following is the syntactically correct and complete function?

Options :

1. ✖ `int func(int a, int b){ cout<< "Hello"}`

2. ✖ `func (int c){cin>>"c" }`

3. ✔ `int func( int a, int b) { a = a+b; return (a);}`

4. ✖ `int func();`

Question Number : 175 Question Id : 8946583983 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Combining a number of items such as variables and functions into an object of a class is called _____.

Options :

1. ✖ abstraction

2. ✖ polymorphism
<https://previouspaper.in>

3. ✔ encapsulation

4. ✖ structure

Question Number : 176 Question Id : 8946583984 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

Which of the following statements is a valid syntax for typecast in C++?

Options :

1. ✔ (char) a;

2. ✖ char (a);

3. ✖ type char(a);

4. ✖ char type(a);

Question Number : 177 Question Id : 8946583985 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

Which header file does contain the methods setw() and get_time()?

Options :

1. ✔ iomanip.h

2. ✖ iomanip.h, stdio.h

3. ✖ iostream.h

4. ✖ iostream.h, iomanip.h

Question Number : 178 Question Id : 8946583986 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

<https://previouspaper.in> refers to capability to associate multiple meanings to one function name.

Options :

1. ✖ <https://previouspaper.in>
2. ✔ Polymorphism
3. ✖ Encapsulation
4. ✖ Structure

Question Number : 179 Question Id : 8946583987 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

A / An _____ function of a class is not a member function of the class but has access to the private members of the class just as a member function does.

Options :

1. ✖ Member
2. ✖ Constructor
3. ✖ Overloaded
4. ✔ Friend

Question Number : 180 Question Id : 8946583988 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

The technique of waiting until run time to determine the implementation of a procedure is called _____ binding.

Options :

1. ✖ static
2. ✖ early
3. ✔ dynamic

4. ✖ positive
<https://previouspaper.in>

Question Number : 181 Question Id : 8946583989 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Which of the following methods of String class is used to obtain character at a specified index?

Options :

- 1. ✖ char()
- 2. ✖ Charat()
- 3. ✖ charat()
- 4. ✔ charAt()

Question Number : 182 Question Id : 8946583990 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Which of the following methods of String class can be used to test strings for equality?

Options :

- 1. ✖ isequal()
- 2. ✖ isequals()
- 3. ✖ equal()
- 4. ✔ equals()

Question Number : 183 Question Id : 8946583991 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Which of the following statements is not correct?

Options :

- 1. ✖ string is a class
- 2. ✔ strings in java are mutable.

<https://previouspaper.in>

3. ✖ every string is an object of class string.
<https://previouspaper.in>

4. ✖ java defines a peer class of string, called string buffer, which allows string to be altered.

Question Number : 184 Question Id : 8946583992 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Which interface in Java threads is used to create?

Options :

1. ✖ thread

2. ✖ thread. create

3. ✖ run

4. ✔ runnable

Question Number : 185 Question Id : 8946583993 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Which Java keyword is used to prevent inheritance?

Options :

1. ✖ stop

2. ✖ finally

3. ✔ final

4. ✖ finalize

Question Number : 186 Question Id : 8946583994 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Which of the following constructs is mandatory to handle user-defined exceptions?

Options :

1. ✖ finally

<https://previouspaper.in>

2. ✖ final
<https://previouspaper.in>

3. ✖ throws

4. ✔ Throw

Question Number : 187 Question Id : 8946583995 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

What is the output of this program?

```
Class string_class {  
public static void main(String args[])  
{  
String obj="hello";  
String obj1 ="world";  
String obj2 =obj;  
string obj2 =" world";  
System.out.println(obj+" "+ obj2);  
}
```

Options :

1. ✔ hello hello

2. ✖ world world

3. ✔ hello world

4. ✖ world hello

Note: For this question, ambiguity is found in question/answer. Candidate will get full marks for this question if any of the correct options are chosen.

Question Number : 188 Question Id : 8946583996 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

Which of these jump statements can skip processing remainder of code in its body for a particular iteration?

Options : <https://previouspaper.in>

1. ✖ break
<https://previouspaper.in>

2. ✖ return

3. ✖ exit

4. ✔ continue

Question Number : 189 Question Id : 8946583997 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

What is the output of this program?

Class selection_statements

```
{  
Public static void main(String args[])  
{  
int var1 = 5;  
int var2 = 6;  
if ((var2 = 1) == var1)  
System.out.print(var2);  
else  
System.out.print(++var2);  
}  
}
```

Options :

1. ✖ 1

2. ✔ 2

3. ✖ 3

4. ✖ 4

Question Number : 190 Question Id : 8946583998 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

What is the output of this program?
<https://previouspaper.in>

```
Class string_demo{  
    public static void main(String args[])  
    {  
        String obj="I"+"like"+"Java";  
        System.out.println(obj);  
    }  
}
```

Options :

- 1. ✖ I
- 2. ✖ Like
- 3. ✖ Java
- 4. ✔ IlikeJava

Question Number : 191 Question Id : 8946583999 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

Which of the following JavaScript statements is the correct definition of an array?

Options :

- 1. ✖ var a = new Array[100]
- 2. ✖ a = new Array[1, 2, 3, 4]
- 3. ✔ a = new Array(1, 2, 3, 4)
- 4. ✖ a = new Array[]

Question Number : 192 Question Id : 8946584000 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0
<https://previouspaper.in>

JavaScript is contained inside the _____ tags.
<https://previouspaper.in>

Options :

1. ✖ `<font> ... </font>`
2. ✔ `<script> ... </script>`
3. ✖ `<head> ... </head>`
4. ✖ `<body> ... </body>`

Question Number : 193 Question Id : 8946584001 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

What is the output of the following PHP code?

```
<?php
$username="ECET2019";
if(ereg("[^a-z]",$username))
echo"Username must be all lowercase!";
else
echo"Username is all lowercase!";
?>
```

Options :

1. ✔ error
2. ✖ username must be all lowercase!
3. ✖ username is all lowercase!
4. ✖ no output is returned

Question Number : 194 Question Id : 8946584002 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

Which of the following PHP functions can be used to get the current memory usage?

Options : <https://previouspaper.in>

1. ✖ `get_usage()`
<https://previouspaper.in>

2. ✖ `get_peak_usage()`

3. ✔ `get_memory_usage()`

4. ✖ `get_memory_peak_usage()`

Question Number : 195 Question Id : 8946584003 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Choose the correct option for PHP:

S1: `echo ( )` is capable of outputting multiple strings

S2: `echo ( )` cannot be used as part of a complex expression because it returns void

S3: `Print ( )` return a Boolean

Options :

1. ✖ Only S1

2. ✖ S1 and S2 only

3. ✔ S1, S2 and S3

4. ✖ S1 and S3 only

Question Number : 196 Question Id : 8946584004 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Which of the following HTML codes displays the content in bold face?

Options :

1. ✖ `<b> This text is big<b>`

2. ✔ `<b> This text is big</b>`

3. ✖ `<b/> This text is bold</b>`

4. ✖ `<b>` This text is bold `</b>`
<https://previouspaper.in>

Question Number : 197 Question Id : 8946584005 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

In HTML document to insert images, we use the _____ tag.

Options :

1. ✖ Picture

2. ✖ Pic

3. ✔ Img

4. ✖ Image

Question Number : 198 Question Id : 8946584006 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Which of the following tags is used to add a row to a table?

Options :

1. ✖ `<td>` and `</td>`

2. ✖ `<row>` and `<row>`

3. ✖ `<tablerow>` and `</tablerow>`

4. ✔ `<tr>` and `</tr>`

Question Number : 199 Question Id : 8946584007 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0

Which are the compound data types of PHP?

Options :

1. ✔ array and object

2. ✖ array and map
<https://previouspaper.in>

3. ✖ array and vector

4. ✖ array and hash table

Question Number : 200 Question Id : 8946584008 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0

Which PHP's super global variable offers information regarding the PHP parser's underlying server environment?

Options :

1. ✖ \$ - SEVER

2. ✔ \$ - ENV

3. ✖ \$ - PARSER

4. ✖ \$ - COOKIES